Wood Science Index . . . Vol. 2, 1969-70

Articles are indexed according to the FPRS Subject-Matter Divisions and by author. To find an article on a given subject, study the areas covered under the most appropriate Division heading. Reprint order number and cost are listed. Reprints are available of all articles listed. The Author Index, under senior author listing, contains titles, reprint order number, and the cost per single copy. Check or money order must accompany all orders. Special bulk rates are available.

FPRS Subject Index

ANATOMY AND FUNDAMENTAL PROPERTIES

Anatomical Characteristics of Southern Pine Stemwood, E. T. Howard and F. G. Manwiller, 2:77 (No. 4222—$1.50)

Ash Content of Loblolly Pine Wood as Related to Specific Gravity, Growth Rate, and Distance from Pith, C. W. McMillin, 1:26 (No. 4205—$1.00)

Cell Wall Polysaccharides in Southern Pine Wood, J. D. Wellons, 4:247 (No. 4321—$1.50)

Development of a Model for Estimating Tree Specific Gravity of Loblolly Pine, H. E. Wahlgren and D. O. Yandle, 3:129 (No. 4306—$1.40)

Effect of Heat Treatment on Some Properties of Douglas-Fir, R. T. Lin, 2:112 (No. 4267—$1.50)

Frequency and Selected Anatomical Features of Included Sapwood in Eastern Redcedar, E. A. McGinnes, Jr., S. A. Kandeel, and P. S. Szopa, 2:100 (No. 4216—$1.40)

Heat Transmissivity of Southern Pine Wood, Plywood, Fiberboard, and Particleboard, F. F. Wangaard, 1:54 (No. 4185—$1.40)

Intercellular Spaces Along the Ray Parenchyma—The Gas Canal System of Living Wood?, E. L. Back, 1:31 (No. 4110—$0.80)

Light and Electron Microscope Studies of Crystalline Substances in *Acer Saccharum* Mineral Stain, A. J. Mia, 2:120 (No. 4257—$1.00)

Longitudinal Air Permeability of Four Species of Southern Pine Wood, P. J. Fogg, 1:35 (No. 4249—$1.50)

Quantitative Color Characterization for Loblolly Pine Veneer, A. A. Moslemi, 1:61 (No. 4147—$0.80)

Specific Heat of Ovendry Loblolly Pine Wood, C. W. McMillin, 2:107 (No. 4236—$1.00)

Study of Cell Walls in Angiospermous Plants Using Light and Electron Microscopes, A. J. Mia, 1:1 (No. 4237—$1.50)

Ultrastructure of Ring Shake in Scarlet Oak Quercus coccinea, Muenchh.), S. A. Kandeel and E. A. McGinnes, Jr., 3:171 (No. 4272—$1.50)

Within-Growth-Ring Variation in Some Physical Properties of Southern Pine Wood, G. Ifju, 1:11 (No. 4190—$1.50)

Wood Variables Affecting the Friction Coefficient of Spruce Pine on Steel, T. J. Lemoine, C. W. McMillin, and F. G. Manwiller, 3:144 (No. 4282—$1.00)

MECHANICAL CONVERSION

Lapping of Steel Tools for Maximum Sharpness, R. L. Cowling and W. M. McKenzie, 1:20 (No. 4214—$1.20)

CHEMICAL CONVERSION

Radiation Polymerization Kinetics in Wood Polymer Preparation, A. G. Davies, B. H. Asbury, and C. G. Smith, 2:91 (No. 4101—$1.50)

Studies of the Wood-Anhydrous Ammonia System, M. Bariska, C. Skaar, and R. W. Davidson, 2:65 (No. 4248—$1.50)

Water Sorption 'Overshoot' in Ammonia-Treated Wood, M. Bariska, C. Skaar, and R. W. Davidson, 4:232 (No. 4370—$1.20)

TREATMENTS AND COATINGS

Analysis of Service Life Experiments on Wood Treated with Preservatives, T. Gillespie, H. P. Sedziak, and J. Krzyzewski, 2:73 (No. 4235—$0.80)

Wood Preservative Toxicity Evaluation Using Wood Weight Loss and Fungal Respiration Methods, R. S. Smith, 1:44 (No. 4139—$1.50)

WOOD DRYING

Longitudinal Water Permeability of Gamma Irradiated Sitka Spruce Heartwood, R. Gertjejansen, 3:168 (No. TN-174—$0.60)

Measurement of Diffusion Coefficients in Wood by the Matano Solution, R. E. Martin and W. W. Moschler, Jr., 3:186 (No. 4265—$1.40)

Permeability of Southern Pine Wood—A Review, H. D. Erickson, 3:149 (No. 4188—$1.50)

Rate of Veneer Drying in a Fluidized Bed, C. Y. Wen and W. E. Loos, 2:87 (No. 4243—$0.80)

Relative Humidities for Douglas-Fir Wood Between 10 and 70°F., C. P. Hedlin, 2:125 (No. 4277—$1.00)

Some Aspects of Moisture Sorption Dynamics in Wood, C. Skaar, C. Prichananda, and R. W. Davidson, 3:179 (No. 4286—$1.50)

WOOD ENGINEERING

Buckling Behavior of Layered Wood Columns, H. Y. Rassam and J. R. Goodman, 4:238 (No. 4297—$1.50)

Flexural Behavior of Steel Reinforced Laminated Timber Beams, G. Lantos, 3:136 (No. 4298—$1.50)

Influence of Stress on Creep and Moisture Distribution in Wooden Beams Under Sorption Conditions, T. Szabo and G. Ifju, 3:159 (No. 4246—$1.50)

Measurement of Elastic and Creep Properties of Particleboard in Tension and Compression, D. G. Hunt, 4:217 (No. 4238—$1.50)

Moduli of Rigidity of Virginia Pine and Tulip Poplar Related to Moisture Content, R. E. Mark, S. F. Adams, and R. C. Tang, 4:203 (No. 4299—$1.50)

Shear Properties of Loblolly Pine Growth Zones, E. J. Biblis and J. D. Fitzgerald, Jr., 4:193 (No. 4239—$1.50)

Stiffness Matrix Method of Furniture Frame Analysis, C. A. Eckelman, 4:221 (No. 4283—$1.50)

FPRS Author Index

A

Adams, S. F., *see* Mark, R. E.

Asbury, B. H., *see* Davies, A. G.

B

Back, E. L., Intercellular Spaces Along the Ray Parenchyma—The Gas Canal System of Living Wood?, 1:31 (No. 4110—$0.80)

Bariska, M., C. Skaar, and R. W. Davidson, Studies of the Wood-Anhydrous Ammonia System, 2:65 (No. 4248—$1.50)

Bariska, M., C. Skaar, and R. W. Davidson, Water Sorption 'Overshoot' in Ammonia-Treated Wood, 4:232 (No. 4370—$1.20)

Biblis, E. J., and J. D. Fitzgerald, Jr., Shear Properties of Loblolly Pine Growth Zones, 4:193 (No. 4239—$1.50)

C

Cowling, R. L., and W. M. McKenzie, Lapping of Steel Tools for Maximum Sharpness, 1:20 (No. 4214—$1.20)

D

Davidson, R. W., *see* Bariska, M.

Davidson, R. W., *see* Skaar, C.

Davies, A. G., B. H. Asbury, and C. G. Smith, Radiation Polymerization Kinetics in Wood Polymer Preparation, 2:91 (No. 4101—$1.50)

E

Eckelman, C. A., The Stiffness Matrix Method of Furniture Frame Analysis, 4:221 (No. 4283—$1.50)

Erickson, H. D., Permeability of Southern Pine Wood—A Review, 3:149 (No. 4188—$1.50)

F

Fitzgerald, J. D. Jr., *see* Biblis, E. J.

Fogg, P. J., Longitudinal Air Permeability of Four Species of Southern Pine Wood, 1:35 (No. 4249—$1.50)

G

Gertjejansen, R., Longitudinal Water Permeability of Gamma Irradiated Sitka Spruce Heartwood, 3:168 (No. TN-174—$0.60)

Gillespie, T., H. P. Sedziak, and J. Krzyzewski, The Analysis of Service Life Experiments on Wood Treated with Preservatives, 2:73 (No. 4235—$0.80)

Goodman, J. R., *see* Rassam, H. Y.

H

Hedlin, C. P., Relative Humidities for Douglas-Fir Wood Between 10 and 70°F., 2:125 (No. 4277—$1.00)

Howard, E. T., and F. G. Manwiller, Anatomical Characteristics of Southern Pine Stemwood, 2:77 (No. 4222—$1.50)

Hunt, D. G., Measurement of Elastic and Creep Properties of Particleboard in Tension and Compression, 4:217 (No. 4238—$1.50)

I

Ifju, G., Within-Growth-Ring Variation in Some Physical Properties of Southern Pine Wood, 1:11 (No. 4190—$1.50)
Ifju, G., *see* Szabo, T.

K

Kandeel, S. A., and E. A. McGinnes, Jr., Ultrastructure of Ring Shake in Scarlet Oak (Quercus coccinea, Muenchh.), 3:171 (No. 4272—$1.50)
Kandeel, S. A., *see* McGinnes, E. A. Jr.
Krzyzewski, J., *see* Gillespie, T.

L

Lantos, G., The Flexural Behavior of Steel Reinforced Laminated Timber Beams, 3:136 (No. 4298—$1.50)
Lemoine, T. J., C. W. McMillin, and F. G. Manwiller, Wood Variables Affecting the Friction Coefficient of Spruce Pine on Steel, 3:144 (No. 4282—$1.00)
Lin, R. T., Effect of Heat Treatment on Some Properties of Douglas-Fir, 2:112 (No. 4267—$1.50)
Loos, W. E., *see* Wen, C. Y.

M

Manwiller, F. G., *see* Howard, E. T.
Manwiller, F. G., *see* Lemoine, T. J.
Mark, R. E., S. F. Adams, and R. C. Tang, Moduli of Rigidity of Virginia Pine and Tulip Poplar Related to Moisture Content, 4:203 (No. 4299—$1.50)
Martin, R. E., and W. W. Moschler, Jr., Measurement of Diffusion Coefficients in Wood by the Matano Solution, 3:186 (No. 4265—$1.40)
McGinnes, E. A. Jr., S. A. Kandeel, and P. S. Szopa, Frequency and Selected Anatomical Features of Included Sapwood in Eastern Redcedar, 2:100 (No. 4216—$1.40)
McGinnes, E. A. Jr., *see* Kandeel, S. A.
McKenzie, W. M., *see* Cowling, R. L.
McMillin, C. W., Ash Content of Loblolly Pine Wood as Related to Specific Gravity, Growth Rate, and Distance from Pith, 1:26 (No. 4205—$1.00)
McMillin, C. W., Specific Heat of Ovendry Loblolly Pine Wood, 2:107 (No. 4236—$1.00)
McMillin, C. W., *see* Lemoine, T. J.
Mia, A. J., Study of Cell Walls in Angiospermous Plants Using Light and Electron Microscopes, 1:1 (No. 4237—$1.50)
Mia, A. J., Light and Electron Microscope Studies of Crystalline Substances in *Acer Saccharum* Mineral Stain, 2:120 (No. 4257—$1.00)
Moschler, W. W. Jr., *see* Martin, R. E.
Moslemi, A. A., Quantitative Color Characterization for Loblolly Pine Veneer, 1:61 (No. 4147—$0.80)

P

Prichananda, C., *see* Skaar, C.

R

Rassam, H. Y., and J. R. Goodman, Buckling Behavior of Layered Wood Columns, 4:238 (No. 4297—$1.50)

S

Sedziak, H. P., *see* Gillespie, T.
Skaar, C., C. Prichananda, and R. W. Davidson, Some Aspects of Moisture Sorption Dynamics in Wood, 3:179 (No. 4286—$1.50)
Skaar, C., *see* Bariska, M.
Smith, R. S., Wood Preservative Toxicity Evaluation Using Wood Weight Loss and Fungal Respiration Methods, 1:44 (No. 4139—$1.50)
Smith, C. G., *see* Davies, A. G.
Szabo, T., and G. Ifju, Influence of Stress on Creep and Moisture Distribution in Wooden Beams Under Sorption Conditions, 3:159 (No. 4246—$1.50)
Szopa, P. S., *see* McGinnes, E. A. Jr.

T

Tang, R. C., *see* Mark, R. E.

W

Wahlgren, H. E., and D. O. Yandle, Development of a Model for Estimating Tree Specific Gravity of Loblolly Pine, 3:129 (No. 4306—$1.40)
Wangaard, F. F., Heat Transmissivity of Southern Pine Wood, Plywood, Fiberboard, and Particleboard, 1:54 (No. 4185—$1.40)
Wellons, J. D., Cell Wall Polysaccharides in Southern Pine Wood, 4:247 (No. 4321—$1.50)
Wen, C. Y., and W. E. Loos, Rate of Veneer Drying in a Fluidized Bed, 2:87 (No. 4243—$0.80)

Y

Yandle, D. O., *see* Wahlgren, H. E.